

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L8	9	("1566083"   "1789593"   "1888454"   "2648136"   "5038449").PN. OR ("6421930").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/02 13:17
S1	534	(29/407.05).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/01 12:05
S2	74	S1 and piston	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/30 15:15
S3	8745	piston adj ring and size	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/30 15:15
S4	969	piston adj ring and size and measure	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/30 15:18
S5	3	measure near diameter same piston adj ring	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/30 15:19
S6	4959	measure near diameter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/30 15:20
S7	968	measure near diameter and cylinder	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/30 15:20
S8	10	measure near diameter and cylinder and piston adj ring	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/30 15:27
S9	14	measure near piston adj ring	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/30 15:29
S10	2	piston adj ring adj sizing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/30 15:31
S11	6	piston adj ring near sizing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/30 15:35
S12	9803	slot and (sizing size measure measuring) near (piston adj ring cylinder aperture)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/30 15:37

S13	42	slot and (sizing size measure measuring) near (piston adj ring)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/30 15:41
S14	524	(slot slotted) and (cylinder aperture hole) and measure near diameter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/30 15:56
S15	431	bore near measure	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/30 15:56
S16	15	(bore near measure).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/30 15:57
S17	108	(bore and caliper).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/30 16:07
S18	773	caliper.ti. and measurement	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/30 16:07
S19	283	caliper.ti. and measurement and screw	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/30 16:07
S20	4	caliper.ti. and piston adj ring	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/01 09:51
S21	7598	ring and piston and (install installer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/01 09:51
S22	244	ring with piston near (install installer insert)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/01 10:00
S23	2	piston adj ring near squaring	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/01 10:03
S24	7	piston adj ring same squaring	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/01 10:03
S25	9	("1566083"   "1789593"   "1888454"   "2648136"   "5038449").PN. OR ("6421930").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/01 10:05

S26	13	("1410415"   "1566083"   "1830855"   "2648136"   "3083449").PN. OR ("5038449").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/01 10:07
S27	6	("1264519"   "5038449"   "5042161"   "5199180").PN. OR ("5979071").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/01 10:13
S28	106	(33/605).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/01 10:21
S29	0	(33/DIG17).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/01 15:07
S30	0	(33/D17).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/01 10:22
S31	604	summit.as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/01 12:06
S32	2591	piston adj ring and square	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/01 14:13
S33	761	piston adj ring same square	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/01 14:13
S34	7	piston adj ring near square	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/01 14:14
S35	20	piston adj ring and squaring	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/01 14:18
S36	352	squaring with tool	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/01 14:24
S37	1	("6049990").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/01 14:24
S38	17	("0905249"   "0964785"   "2582649"   "3273246"   "3324559"   "4599806"   "5832618"   "5915806"   "5983509").PN. OR ("6049990").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/01 14:25
S39	9	("3273246").URPN.	USPAT	OR	ON	2005/12/01 14:34
S40	877	cylindrical near clamp	USPAT	OR	ON	2005/12/01 14:34
S41	9	(cylindrical near clamp).ti.	USPAT	OR	ON	2005/12/01 15:01
S42	636	(29/271).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/01 15:01
S43	121	(33/DIG.17).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/01 15:12

S44	183	cylinder near spreader	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/01 15:15
S45	830	diameter same measure same (square squaring) and slot	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/01 15:15
S46	217	diameter same measure same (square squaring) and slot and bore	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/01 15:22
S47	3	"33".clas. and bore near diameter and measurement and (square squaring)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/01 15:29
S48	849	adjustable and (circular arcuate annular) and shoulder and piston adj ring	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/01 15:31
S49	0	adjustable near (circular arcuate annular) same shoulder and piston adj ring	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/01 15:31
S50	211	adjustable same (circular arcuate annular) same shoulder and piston adj ring	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/01 15:31
S51	0	adjustable and (circular arcuate annular) and shoulder and piston adj ring and squaring	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/01 15:32
S52	20	piston adj ring and squaring	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/01 15:32
S53	1030	piston adj ring and locating	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/01 15:32
S54	40	piston adj ring and locating and sizing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/01 15:32
S55	123	(vernier adj caliper).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/01 16:16